ELSEVIER

Analytica Chimica Acta 382 (1999) 349–351

ANALYTICA CHIMICA ACTA

Author Index

Abraham, M.H., see Oumada, F.Z. 301
Acar, O.
—, Kılıç, Z. and Rehber Türker, A.
Determination of bismuth, indium and lead in geological and sea-water samples by electrothermal atomic absorption spectrometry with nickel-containing chemical modifiers 329
Agraz, R., see Ortiz Viana, M.M. 179
Ala-Kleme, T., see Kulmala, A. 233
Alañón Molina, A., see Murillo Pulgarín, J.A. 77
Alonso, J., see Sànchez, J. 157
Arimura, A., see Ito, K. 245

Beltran, A., see Sànchez, J. 157
Bosch, E., see Oumada, F.Z. 301
Bosque-Sendra, J.M., see Nechar, M. 117
Boturyn, D., see Houdier, S. 253
Bruzzoniti, M.C.
—, Mentasti, E. and Sarzanini, C.
Simultaneous determination of inorganic anions and metal ions by suppressed ion chromatography 291

Carducci, C., see Mardones, C. 23
Casassas, E., see Díaz-Cruz, M.S. 105
Chen, H.-Y.
— and Long, Y.-T.
Study of biomolecules by combining electrochemistry with UV/Vis, IR and surface enhanced Raman scattering spectroscopy by a novel flow microcell 171
Chen, S.-Z., see Zhang, Z.-Q. 283
Chen, X.
—, Ruan, C., Kong, J. and Deng, J.
Amperometric determination of nitrite based on reaction with 3-mercaptopropanoic acid 189
Cheng, B., see Xia, S. 151
Cortina, J.L., see El Aamrani, F.Z. 205
Croudace, I.W., see Warwick, P.E. 225
Croze, S., see Houdier, S. 253

Díaz-Cruz, M.S.
—, Grabarić, B.S., Grabarić, Z., Esteban, M. and Casassas, E.
Optimisation of resolution function in signals ratio method and deconvolution by polynomial division – quantitation of Cd(II) and In(III) from their global signals obtained at carbon fibre disk ultramicroelectrode 105
da Silva, M.P., see Ortiz Viana, M.M. 179

Davidson, C.M., see Sahuquillo, A. 317
Defrancq, E., see Houdier, S. 253
del Valle, M., see Sànchez, J. 157
Deng, J., see Chen, X. 189
Doku, G.N.
— and Haswell, S.J.
Further studies into the development of a micro-FIA (μFIA) system based on electroosmotic flow for the determination of phosphate as orthophosphate 1
Duan, L.-M., see Li, Z.-Q. 165

El Aamrani, F.Z.
—, Kumar, A., Cortina, J.L. and Sastre, A.M.
Solvent extraction of copper(II) from chloride media using *N*-(thiocarbamoyl)benzamidine and *N*-benzoylthiourea derivatives 205
Ensafi, A.A.
— and Kazemzadeh, A.
Simultaneous determination of nitrite and nitrate in various samples using flow injection with spectrophotometric detection 15
Esteban, M., see Díaz-Cruz, M.S. 105

Feng, J.-L., see Li, Y.-G. 277
Fernández López, P., see Murillo Pulgarín, J.A. 77

García-Ayuso, L.E.
— and Luque de Castro, M.D.
A multivariate study of the performance of a microwave-assisted Soxhlet extractor for olive seeds 309
Gaydou, E.M., see Goiffon, J.-P. 39
Goiffon, J.-P.
—, Mouly, P.P. and Gaydou, E.M.
Anthocyanic pigment determination in red fruit juices, concentrated juices and syrups using liquid chromatography 39
Goto, T., see Ito, K. 245
Grabarić, B.S., see Díaz-Cruz, M.S. 105
Grabarić, Z., see Díaz-Cruz, M.S. 105
Guo, Q.
—, Wu, W. and Massart, D.L.
The robust normal variate transform for pattern recognition with near-infrared data 87

Hakanen, A., see Kulmala, A. 233
Haswell, S.J., see Doku, G.N. 1

Heon Lee, C.
—, Yul Suh, M., Suk Kim, J., Yang Kim, D., Ho Kim, W. and Yoon Eom, T.
Separation and preconcentration of uranium from geological materials with chelating resin containing 4-(2-thiazolylazo)-resorcinol functional groups 199
Hernandez, L., see Ortiz Viana, M.M. 179
Ho Kim, W., see Heon Lee, C. 199
Hongying, Z.
—, Xiangzhu, X. and Peibiao, L.
Application of Fourier transform to four-electrode micro-voltammetric system for studies on micro-ITIES electroanalysis 137
Houdier, S.
—, Legrand, M., Boturyn, D., Croze, S., Defrancq, E. and Lhomme, J.
A new fluorescent probe for sensitive detection of carbonyl compounds 253
Howard, A.G., see Warwick, P.E. 225

Ito, K.
—, Goto, T., Murakami, S., Maeda, M., Shioda, S. and Arimura, A.
Bioluminescent enzyme immunoassay for pituitary adenylate cyclase activating polypeptide 38 (PACAP38) 245

Jiang, Z.-H., see Li, Y.-G. 277
Jiménez, C., see Sànchez, J. 157
Jin, L., see Jin, W. 33
Jin, W.
—, Jin, L., Shi, G. and Ye, J.
Determination of monoamine transmitters and their metabolites by capillary electrophoresis with electrochemical detection 33

Kilic, Z., see Acar, O. 329
Kazemzadeh, A., see Ensafi, A.A. 15
Klimant, I., see Neurauter, G. 67
Kong, J., see Chen, X. 189
Korpela, T., see Kulmala, A. 233
Kubo, I., see Seki, A. 131
Kulmala, A.
—, Kulmala, S., Ala-Kleme, T., Hakanen, A. and Korpela, T.
Hydrated electron-induced chemiluminescence of thallium(I) ion 233
Kulmala, S., see Kulmala, A. 233
Kumar, A., see El Aamrani, F.Z. 205

López-Sánchez, J.F., see Sahuquillo, A. 317
Lao, W., see You, J. 51
Legrand, M., see Houdier, S. 253
Lhomme, J., see Houdier, S. 253
Li, Y.-F., see Zhang, Z.-Q. 283
Li, Y.-G.
—, Zhou, Y.-X., Feng, J.-L., Jiang, Z.-H. and Ma, L.-R.
Immobilization of enzyme on screen-printed electrode by exposure to glutaraldehyde vapour for the construction of amperometric acetylcholinesterase electrodes 277
Li, Z.-Q.
—, Liu, G.-D., Duan, L.-M., Shen, G.-L. and Yu, R.-Q.
Sulfate-selective PVC membrane electrodes based on a derivative of imidazole as a neutral carrier 165
Liu, G.-D., see Li, Z.-Q. 165
Long, Y.-T., see Chen, H.-Y. 171
Luque de Castro, M.D., see García-Ayuso, L.E. 309

Ma, L.-R., see Li, Y.-G. 277
Maeda, M., see Ito, K. 245
Malinowska, E.
—, Manzoni, A. and Meyerhoff, M.E.
Potentiometric response of magnesium-selective membrane electrode in the presence of nonionic surfactants 265
Manzoni, A., see Malinowska, E. 265
Mardones, C.
—, Vizioli, N., Carducci, C., Rios, A. and Valcárcel, M.
Separation and determination of carnitine and acyl-carnitines by capillary electrophoresis with indirect UV detection 23
Massart, D.L., see Guo, Q. 87
Mentasti, E., see Bruzzoniti, M.C. 291
Meyerhoff, M.E., see Malinowska, E. 265
Mo, J., see Zou, Y. 145
Molina, M.F., see Nechar, M. 117
Motoya, K., see Seki, A. 131
Mouly, P.P., see Goiffon, J.-P. 39
Murakami, S., see Ito, K. 245
Murillo Pulgarín, J.A.
—, Alañón Molina, A. and Fernández López, P.
Phosphorimetric determination of nafronyl in pharmaceutical preparations 77

Nechar, M.
—, Molina, M.F. and Bosque-Sendra, J.M.
Application of Doehlert optimization and factorial designs in developing and validating a solid-phase spectrophotometric determination of trace levels of cadmium 117
Neurauter, G.
—, Klimant, I. and Wolfbeis, O.S.
Microsecond lifetime-based optical carbon dioxide sensor using luminescence resonance energy transfer 67

Ortiz Viana, M.M.
—, da Silva, M.P., Agraz, R., Procopio, J.R., Sevilla, M.T. and Hernandez, L.
Comparison of two kinetic approaches for copper speciation using ion-exchange columns and ion-exchange modified carbon paste electrodes 179
Ou, Q., see You, J. 51
Oumada, F.Z.
—, Rosés, M., Bosch, E. and Abraham, M.H.
Solute–solvent interactions in normal-phase liquid chromatography: a linear free-energy relationships study 301

Peibiao, L., see Hongying, Z. 137
Procopio, J.R., see Ortiz Viana, M.M. 179

Rauret, G., see Sahuquillo, A. 317

Rehber Türker, A., see Acar, O. 329
Rios, A., see Mardones, C. 23
Rosés, M., see Oumada, F.Z. 301
Ruan, C., see Chen, X. 189
Rubio, R., see Sahuquillo, A. 317

Sànchez, J.
—, Beltran, A., Alonso, J., Jiménez, C. and del Valle, M.
Development of a new ion-selective field-effect transistor sensor for anionic surfactants: Application to potentiometric titrations 157
Sahuquillo, A.
—, López-Sánchez, J.F., Rubio, R., Rauret, G., Thomas, R.P., Davidson, C.M. and Ure, A.M.
Use of a certified reference material for extractable trace metals to assess sources of uncertainty in the BCR three-stage sequential extraction procedure 317
Sakao, S.
— and Uchida, H.
Determination of trace elements in shellfish tissue samples by inductively coupled plasma mass spectrometry 215
Sarzanini, C., see Bruzzoniti, M.C. 291
Sastre, A.M., see El Aamrani, F.Z. 205
Seki, A.
—, Motoya, K., Watanabe, S. and Kubo, I.
Novel sensors for potassium, calcium and magnesium ions based on a silicon transducer as a light-addressable potentiometric sensor 131
Sevilla, M.T., see Ortiz Viana, M.M. 179
Shen, G.-L., see Li, Z.-Q. 165
Shi, G., see Jin, W. 33
Shioda, S., see Ito, K. 245
Suk Kim, J., see Heon Lee, C. 199
Sun, H., see You, J. 51

Taher, M.A.
Third derivative spectrophotometric determination of trace rhodium after pre-concentration with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol chelate/tetraphenylborate ion pair on microcrystalline naphthalene 339
Thomas, R.P., see Sahuquillo, A. 317

Uchida, H., see Sakao, S. 215
Ure, A.M., see Sahuquillo, A. 317

Valcárcel, M., see Mardones, C. 23
Vizioli, N., see Mardones, C. 23

Warwick, P.E.
—, Croudace, I.W. and Howard, A.G.
Improved technique for the routine determination of tritiated water in aqueous samples 225
Watanabe, S., see Seki, A. 131
Wolfbeis, O.S., see Neurauter, G. 67
Wu, W., see Guo, Q. 87

Xia, S.
—, Xiao, D., Yuan, H., Cheng, B., Yuan, F. and Yu, R.
Copper(II) ion-sensitive electrode using chemical vapor deposited Nb–Ge superconducting films 151
Xiangzhu, X., see Hongying, Z. 137
Xiao, D., see Xia, S. 151

Yang Kim, D., see Heon Lee, C. 199
Ye, J., see Jin, W. 33
Yoon Eom, T., see Heon Lee, C. 199
You, J.
—, Sun, H., Lao, W. and Ou, Q.
Fluorescence properties of carbazole-9-yl-acetyl chloride and its application for the simultaneous determination of amino acids and biogenic amines via liquid chromatography with fluorescence detection 51
Yu, R., see Xia, S. 151
Yu, R.-Q., see Li, Z.-Q. 165
Yuan, F., see Xia, S. 151
Yuan, H., see Xia, S. 151
Yul Suh, M., see Heon Lee, C. 199

Zhang, Z.-Q.
—, Chen, S.-Z., Li, Y.-F. and Zhu, M.-F.
Preconcentration with membrane cell and adsorptive polarographic determination of cyanides in air 283
Zhou, Y.-X., see Li, Y.-G. 277
Zhu, M.-F., see Zhang, Z.-Q. 283
Zou, Y.
— and Mo, J.
Ensembles of carbon paste microelectrodes 145